








Comfortable Shade









STOREXY Vertical Blind


BESY

ESIG

STOREXY is vertically operated with steel guide wires. The cassette system provides protection for the fabric. Manually operated, with optional remote control.







Width (min. max)	100-480 cm
Projection	100-300 cm

OPTIONS & ADDITIONAL ACCESSORIES

Sensors	Sun sensor Wind sensor
Color	Any Ral color
Fabric	Soltis 86 / Soltis 92 / W96 / Acrylic (see catalog)
Control Type	Remote control motor

PRODUCT STANDARDS

Control Type	Manual
Color	RAL9010 (White)

Maximum height for acrylic fabric is 250cm. Wood effect cannot be applied to the main cassette.





WINDSTOR / Vertical Zip Blind

WINDSTOR is a vertical zip blind with unique zip system to prevent ingress of rain water and wind. PVC crystal is available for clear views.







WS 100 — Width: 100 – 400 cm

Projection: 100 – 250 cm (with PVC) **Projection:** 100 – 300 cm (with fabric))

WS 120 — Width: 100 – 500 cm

Projection: 100 – 300 cm (with PVC) **Projection:** 100 – 350 cm (with fabric)

OPTIONS & ADDITIONAL ACCESSORIES

Sensors	Sun sensor Wind sensor
Color	Any Ral color
Fabric	Soltis 86 / Soltis 92 / W96 (see catalog)
Screen Fabric	Crystal PVC

PRODUCT STANDARDS


Control Type	Remote Controlled Motor
Color	RAL9010 (White)




PENTE / Drop Arm Awning


PENTE is a drop arm awning fully protected by means of its cassette. Its slope angle can be adjusted steplessly up to 180 degrees which allows you to catch or block the sun rays as you like. Projection of PENTE is proportional to its arm length.





0°-180° Arm Rotation





Width (min. max)	100-480cm
Projection	80/120/160cm

OPTIONS & ADDITIONAL ACCESSORIES

Sensors	Sun sensor Wind sensor
Color	Any Ral color
Fabric	Soltis 86 / Soltis 92 / W96 / Acrylic (see catalog)
Control Type	Remote control motor

PRODUCT STANDARDS

Control Type	Manual
Color	RAL9010 (White)

Maximum arm length for acrylic fabric is 120 cm. Wood effect can not be applied to the main cassette.


21

LIBERTY Retractable Awning

Elegantly designed LIBERTY has an angle that can be adjusted up to 60° pitch.









Standard Terminal



Optional Valance

DIMENSIONS

Width (min. max)	220-550cm
Projection	160/210/260/310/360cm

OPTIONS & ADDITIONAL ACCESSORIES

Sensors	Sun sensor Wind sensor
Color	Any Ral color and color combinations
Control Type	Remote Controlled Reduction Motor
Valance	Flat / Wavy

INCLINATION

|--|

Wood effect can not be applied on cassette.

PRODUCT STANDARDS

Control Type	Manual
Color	RAL9010 (White)
Fabric	Acrylic




PLATINUM / Casette Awning

Platinum is the designer Awning in cooperating a full cassette system.







Width (min. max)	220-700cm
Projection	160/210/260/310/360cm

OPTIONS & ADDITIONAL ACCESSORIES

Sensors	Sun sensor Wind sensor
Color	Any Ral color and color combinations
Control Type	Remote Controlled Reduction Motor
Valance	Flat / Wavy

INCLINATION

Min. - Max.

0° - 50°

Wood effect can not be applied to the main cassette.

PRODUCT STANDARDS

Control Type	Remote control
Color	RAL9010 (White)
Fabric	Acrylic

Optional extra shade can be added over terminal cap of the product.


Water resistant casette keeps the blind clean and dry.

Optional sun and wind sensors are available.






STOREXY



Ceiling Mounting Type





The gap between the cassette and the fabric is 2cm.

Wall Mounting Type


WINDSTOR


PENTE






There is no gap between the rail and the fabric.





Ceiling Mounting Type




The gap between the cassette and the fabric is 3cm.


Wall Mounting Type

LIBERTY


PLATINUM



Ceiling Mounting Type




Ceiling Mounting Type



Wall Mounting Type

The gap between the cassette and the fabric is 7cm.



The gap between the cassette and the fabric is 7cm.

Wall Mounting Type













5-YEAR WARRANTY

All our products have up to 5 years guarantee for the construction and motor. The electronics and remote controls are guaranteed for 2 years.

